



CATCH-PIT PLUS




4. INSTALLATION



CATCH-PIT PLUS




5. DRAWINGS & DATA



	A	B	C	D	E	F	G	H	I	L	M	N	WEIGHT KG
POZ01-1372	193	200	188	162				64	80	100	125		0,700
POZ01-1372S	193	200	188	162			50	70	90	110	125		1,103
POZ01-1372B	243	249	248	236				64	80	100	125		1,060
POZ01-1373	292	296	286	252			64	80	100	125	140		1,630
POZ01-1373S	292	296	286	252			75	90	110	125	140		2,180
POZ01-1374	395	398	387	354	64	80	100	125	140	160	200		3,000
POZ01-1374S	395	398	387	354	75	90	110	125	140	160	200	250	4,245
POZ01-1371	542	521	532	499					160	200	250	315	8,300

CATCH-PIT PLUS



6. TECHNICAL SPECIFICATION

Specification	Description	Unity	Price
Dak.D.POZ01.137x	Supply and installation of drainage catch-pit, cubic shape, with different sizes from 200 x 200 to 550 x 550 mm, gray colour. Characteristics: • light weight that allows an easy transport, positioning and installation, even by a single person; • high resistance to U.V. rays; • high resistance to frost; • resistance to crystallization; Compatible with its PP manhole. Made of PP (polypropylene). It is used as an alternative to the traditional concrete catch-pits		
Dak.D.POZ01.1372	200 x 200 mm.....	pc.	-
Dak.D.POZ01.1372S	200 x 200 mm.....	pc.	-
Dak.D.POZ01.1372B	250 x 250 mm.....	pc.	-
Dak.D.POZ01.1373	300 x 300 mm.....	pc.	-
Dak.D.POZ01.1373S	300 x 300 mm.....	pc.	-
Dak.D.POZ01.1374	400 x 400 mm.....	pc.	-
Dak.D.POZ01.1374S	400 x 400 mm.....	pc.	-
Dak.D.POZ01.1371	550 x 550 mm.....	pc.	-